



Webhook responses

BOXNOW WEBHOOK RESPONSES

Ivan Bebek
BOX NOW D.O.O. | UL. MARICE BARIĆ 6, ZAGREB

Version	Date	Description	Author
1,0	2022-10-20	Initial document	Ivan Bebek

Contents


Responses	3
Creating delivery request.....	3
Canceling delivery request.....	4
General	5
Data values explanation.....	5

Responses

Once you have successfully created your webhook, you need to provide BOX NOW with webhook URL, to be implemented into system.

Creating delivery request

Once you have created you delivery request (via partner portal, API etc.) in console you can expect this:



```
Windows PowerShell
PS C:\dev\server> node server.js
Webhook subscriber listening on port 3000
{
  specversion: '1.0',
  type: 'gr.boxnow.parcel_event_change',
  source: 'https://boxnow.gr/api/v1/webhooks/52',
  subject: '5835926185',
  id: '7829027173002742',
  time: '2023-06-02T12:56:14.143Z',
  datacontenttype: 'application/json',
  datasignature: 'f34c763c95bd9397160c56ecea3131998f282b5675ed93ba1b35c1f026713b4e',
  data: {
    parcelId: '5835926185',
    parcelState: 'new',
    parcelPin: null,
    event: 'new',
    time: '2023-06-02T12:56:13.813Z',
    orderNumber: '3669955562',
    parcelReferenceNumber: '',
    parcelName: '',
    customer: {
      name: 'Igor TEST kupac',
      email: 'igor.tomsic@boxnow.hr',
      phoneNumber: '+385915108393'
    }
  }
}
Parcel is in state new
```

Canceling delivery request

Once you cancel delivery request you can expect this response:

```
Windows PowerShell
}
}
Parcel is in state delivered
{
  specversion: '1.0',
  type: 'gr.boxnow.parcel_event_change',
  source: 'https://boxnow.gr/api/v1/webhooks/37',
  subject: '1170275564',
  id: '8516413496995299',
  time: '2023-06-29T08:54:38.632Z',
  datacontenttype: 'application/json',
  datasignature: 'dd5742cc72438f4187275c948d3b8e959cb0eb23823de8b5923ec24125dcdc56',
  data: {
    parcelId: '1170275564',
    parcelState: 'canceled',
    parcelPin: null,
    event: 'canceled',
    time: '2023-06-29T08:54:36.911Z',
    orderNumber: '51',
    parcelReferenceNumber: '987659123456-001',
    parcelName: 'Smartphone',
    customer: {
      name: 'Hrvoje Horvat TEST IT',
      email: 'test@mail.de',
      phoneNumber: '+3859112341234'
    }
  }
}
Parcel is in state canceled
```

General

In general, for every state change of parcel in BOX NOW system, webhook should catch response. Once the state of parcel is in final destination, you should also receive parameter parcelPin which recipient will use to open locker.

```
Windows PowerShell
}
}
Parcel is in state in-depot
{
  specversion: '1.0',
  type: 'gr.boxnow.parcel_event_change',
  source: 'https://boxnow.gr/api/v1/webhooks/48',
  subject: '0065275735',
  id: '7856413581549212',
  time: '2023-06-05T12:40:05.465Z',
  datacontenttype: 'application/json',
  datasignature: 'c61adb07dceb1dc4231b642c4d0620c9d4ff7e8f46e8c1abdcfbf9014e5c640e',
  data: {
    parcelId: '0065275735',
    parcelState: 'in-final-destination',
    parcelPin: '840825',
    event: 'final-destination',
    time: '2023-06-05T12:40:05.382Z',
    orderNumber: '4151',
    parcelReferenceNumber: '',
    parcelName: 'Smartphone',
    customer: {
      name: 'Hrvoje Horvat TEST IT',
      email: 'test@mail.de',
      phoneNumber: '+3859112341234'
    }
  }
}
Parcel is in state final-destination
```

Data values explanation

- parcelId -> Parcel Number in BOX NOW system
- parcelState -> status of parcel in BOX NOW system
- parcelpin -> pin that recipient will receive to pickup parcel from locker
- event -> change of this will trigger webhook to receive data of parcel
- orderNumber -> Order ID in BOX NOW system
- parcelName -> name of item
- customer -> recipient information